

Part No.	Kinematic Viscosity mm <sup>2</sup> /s (cSt)								
	20.00°C	25°C	37.78°C	40°C	50°C	60°C	80°C	98.89°C	100°C
	68.00°F	77.00°F	100.00°F	104.00°F	122.00°F	140.00°F	176.00°F	210.00°F	212.00°F
<a href="#">ALK-N.4</a>	0.4691	0.4495	0.4051	0.3981	-	-	-	-	-
<a href="#">ALK-N.8</a>	0.7286	0.6903	0.6080	0.5954	-	-	-	-	-
<a href="#">ALK-N1.0</a>	1.302	1.213	1.025	0.9976	0.8884	-	-	-	-
<a href="#">ALK-N2</a>	2.984	2.687	2.110	2.031	1.726	1.490	-	-	-
<a href="#">ALK-S3</a>	4.601	4.058	3.055	2.920	2.417	2.041	1.522	1.207	1.192
<a href="#">ALK-D5</a>	6.497	5.623	4.060	3.856	3.113	2.573	1.860	1.439	1.420
<a href="#">ALK-S6</a>	10.46	8.8869	6.117	5.772	4.528	3.655	2.540	1.913	1.885
<a href="#">ALK-N7.5</a>	12.34	10.45	7.163	6.748	5.263	4.220	2.902	2.167	2.131
<a href="#">ALK-D10</a>	14.63	12.18	8.075	7.572	5.799	4.583	3.086	2.273	2.236
<a href="#">ALK-N10</a>	20.92	17.05	10.79	10.05	7.479	5.775	3.749	2.693	2.646
<a href="#">ALK-N14</a>	30.54	24.46	14.87	13.76	9.977	7.529	4.713	3.304	3.241
<a href="#">ALK-S20</a>	42.73	33.65	19.68	18.10	12.82	9.476	5.734	3.924	3.845
<a href="#">ALK-N26</a>	61.14	49.10	29.80	27.53	19.81	14.79	9.020	6.160	6.034
<a href="#">ALK-N35</a>	86.53	65.98	35.89	32.62	22.01	15.61	8.824	5.747	5.620
<a href="#">ALK-N44</a>	111.2	86.37	48.42	44.19	30.14	21.47	12.10	7.791	7.610
<a href="#">ALK-S60</a>	155.3	115.2	58.80	52.93	34.24	23.41	12.47	7.773	7.582
<a href="#">ALK-N75</a>	203.9	155.5	83.66	75.81	50.25	34.86	18.79	11.70	11.41
<a href="#">ALK-N100</a>	329.6	237.2	112.9	100.5	62.05	40.68	20.23	11.99	11.67
<a href="#">ALK-N140</a>	409.6	305.9	156.8	141.1	90.53	60.96	31.22	18.68	18.17
<a href="#">ALK-S200</a>	653.2	459.4	206.4	182.1	108.0	68.32	31.97	18.11	17.58
<a href="#">ALK-N250</a>	779.6	572.7	283.0	252.8	158.2	104.0	51.12	29.56	28.71
<a href="#">ALK-D500</a>	834.5	582.0	256.6	225.7	132.0	82.48	37.77	21.05	20.41
<a href="#">ALK-N350</a>	1240	850.7	361.7	316.1	180.4	110.1	48.51	26.26	25.42
<a href="#">ALK-N415</a>	1340	967.8	459.4	408.2	248.7	159.9	75.39	42.24	40.96
<a href="#">ALK-D1000</a>	1717	1170	487.4	424.5	238.6	143.5	61.57	32.60	31.54
<a href="#">ALK-S600</a>	2161	1460	595.4	516.9	286.2	169.9	71.19	37.05	35.81
<a href="#">ALK-N750</a>	2746	1925	852.4	749.0	435.3	268.3	117.8	62.52	60.45
<a href="#">ALK-N1000</a>	4489	2980	1162	1001	534.9	306.9	120.8	59.67	57.51
<a href="#">ALK-N1400</a>	5608	3822	1586	1378	764.3	451.5	184.4	92.50	89.13
<a href="#">ALK-S2000</a>	8573	5566	2053	1752	899.4	497.2	182.9	85.90	82.53
<a href="#">ALK-D5000</a>	10245	6670	2463	2101	1079	593.8	216.9	100.7	96.74
<a href="#">ALK-N2500</a>	11658	7673	2905	2488	1293	719.0	265.2	123.1	118.2
<a href="#">ALK-D7500</a>	13686	8817	3192	2713	1368	742.7	264.0	119.9	114.9
<a href="#">ALK-N4000</a>	17322	11176	4042	3435	1729	933.3	327.2	146.5	140.4
<a href="#">ALK-N5100</a>	26904	17187	6050	5110	2516	1330	446.9	192.9	184.5
<a href="#">ALKS8000</a>	37745	23822	8136	6853	3311	1724	560.5	235.9	225.3
<a href="#">ALK-N10200</a>	54473	34453	11868	9992	4834	2504	805.9	333.2	318.1
<a href="#">ALK-N15000</a>	74506	46451	15463	12954	6120	3102	962.0	385.9	367.7
<a href="#">ALK-N18000</a>	103824	65017	21802	18279	8654	4391	1352	537.3	511.3
<a href="#">ALK-S30000</a>	138056	85267	27723	23124	10717	5334	1586	612.3	581.5

Part No.	Dynamic Viscosity mPa's (cP)								
	20.00°C	25°C	37.78°C	40°C	50°C	60°C	80°C	98.89°C	100°C
	68.00°F	77.00°F	100.00°F	104.00°F	122.00°F	140.00°F	176.00°F	210.00°F	212.00°F
<a href="#">ALK-N.4</a>	0.3094	0.2944	0.2606	0.2553	-	-	-	-	-
<a href="#">ALK-N.8</a>	0.5188	0.4887	0.4240	0.4142	-	-	-	-	-
<a href="#">ALK-N1.0</a>	1.014	0.9400	0.7843	0.7617	0.6715	-	-	-	-
<a href="#">ALK-N2</a>	2.427	2.176	1.689	1.623	1.367	1.170	-	-	-
<a href="#">ALK-S3</a>	3.780	3.320	2.472	2.358	1.936	1.620	1.187	0.9255	0.9131
<a href="#">ALK-D5</a>	5.446	4.695	3.355	3.180	2.546	2.087	1.483	1.129	1.113
<a href="#">ALK-S6</a>	8.703	7.350	5.018	4.725	3.677	2.943	2.012	1.491	1.467
<a href="#">ALK-N7.5</a>	10.09	8.514	5.776	5.431	4.201	3.341	2.259	1.659	1.630
<a href="#">ALK-D10</a>	12.17	10.09	6.621	6.198	4.709	3.691	2.445	1.772	1.742
<a href="#">ALK-N10</a>	17.66	14.34	8.986	8.355	6.168	4.726	3.019	2.135	2.096
<a href="#">ALK-N14</a>	25.69	20.50	12.34	11.40	8.200	6.140	3.783	2.612	2.560
<a href="#">ALK-S20</a>	36.11	28.33	16.41	15.07	10.59	7.767	4.627	3.120	3.054
<a href="#">ALK-N26</a>	49.98	39.98	24.02	22.16	15.82	11.72	7.031	4.728	4.627
<a href="#">ALK-N35</a>	74.13	56.31	30.34	27.53	18.44	12.98	7.228	4.640	4.534
<a href="#">ALK-N44</a>	92.04	71.23	39.55	36.03	24.39	17.24	9.569	6.071	5.924
<a href="#">ALK-S60</a>	133.7	98.83	49.97	44.92	28.84	19.58	10.27	6.313	6.153
<a href="#">ALK-N75</a>	169.8	129.0	68.76	62.20	40.92	28.17	14.96	9.180	8.944
<a href="#">ALK-N100</a>	285.6	204.8	96.60	85.84	52.62	34.25	16.79	9.813	9.544
<a href="#">ALK-N140</a>	343.2	255.4	129.7	116.5	74.23	49.62	25.04	14.77	14.35
<a href="#">ALK-S200</a>	568.4	398.4	177.4	156.3	92.04	57.82	26.68	14.91	14.46
<a href="#">ALK-N250</a>	657.1	481.0	235.5	210.1	130.5	85.17	41.25	23.53	22.83
<a href="#">ALK-D500</a>	727.1	505.4	220.8	193.9	112.6	69.90	31.56	17.36	16.81
<a href="#">ALK-N350</a>	1083	740.3	312.0	272.3	154.3	93.54	40.65	21.71	21.00
<a href="#">ALK-N415</a>	1136	817.4	384.5	341.1	206.3	131.7	61.22	33.84	32.78
<a href="#">ALK-D1000</a>	1503	1021	421.6	366.6	204.7	122.3	51.74	27.04	26.14
<a href="#">ALK-S600</a>	1894	1275	515.7	447.1	245.8	144.9	59.91	30.77	29.72
<a href="#">ALK-N750</a>	2352	1643	721.3	632.8	365.2	223.6	96.81	50.70	48.98
<a href="#">ALK-N1000</a>	3951	2615	1011	869.7	461.6	263.1	102.2	49.83	47.99
<a href="#">ALK-N1400</a>	4853	3296	1356	1176	648.1	380.3	153.3	75.89	73.06
<a href="#">ALK-S2000</a>	7571	4899	1792	1527	779.0	427.8	155.3	72.03	69.14
<a href="#">ALK-D5000</a>	9065	5882	2154	1835	936.4	512.0	184.6	84.63	81.24
<a href="#">ALK-N2500</a>	10205	6695	2514	2150	1110	613.2	223.2	102.3	98.19
<a href="#">ALK-D7500</a>	12119	7782	2795	2371	1188	640.9	224.9	100.9	96.60
<a href="#">ALK-N4000</a>	15368	9884	3546	3009	1505	807.2	279.3	123.5	118.3
<a href="#">ALK-N5100</a>	23912	15228	5318	4486	2195	1153	382.5	163.1	155.9
<a href="#">ALKS8000</a>	33604	21142	7164	6026	2893	1497	480.5	199.8	190.7
<a href="#">ALK-N10200</a>	48617	30656	10477	8809	4236	2180	693.1	283.2	270.1
<a href="#">ALK-N15000</a>	66571	41379	13666	11434	5368	2704	828.3	328.4	312.7
<a href="#">ALK-N18000</a>	92933	58021	19306	16164	7607	3836	1167	458.3	435.8
<a href="#">ALK-S30000</a>	123698	76169	24576	20469	9429	4665	1370	522.8	496.1

Part No.	Density g/mL								
	20.00°C	25°C	37.78°C	40°C	50°C	60°C	80°C	98.89°C	100°C
	68.00°F	77.00°F	100.00°F	104.00°F	122.00°F	140.00°F	176.00°F	210.00°F	212.00°F
<a href="#">ALK-N.4</a>	0.6595	0.6549	0.6434	0.6413	-	-	-	-	-
<a href="#">ALK-N.8</a>	0.7121	0.7079	0.6974	0.6956	-	-	-	-	-
<a href="#">ALK-N1.0</a>	0.7787	0.7749	0.7652	0.7635	0.7558	-	-	-	-
<a href="#">ALK-N2</a>	0.8132	0.8097	0.8007	0.7991	0.7920	0.7849	-	-	-
<a href="#">ALK-S3</a>	0.8216	0.8181	0.8093	0.8077	0.8008	0.7939	0.7800	0.7668	0.7660
<a href="#">ALK-D5</a>	0.8383	0.8349	0.8263	0.8248	0.8180	0.8111	0.7975	0.7846	0.7838
<a href="#">ALK-S6</a>	0.8320	0.8287	0.8202	0.8186	0.8120	0.8053	0.7920	0.7793	0.7785
<a href="#">ALK-N7.5</a>	0.8180	0.8147	0.8063	0.8048	0.7982	0.7916	0.7784	0.7658	0.7651
<a href="#">ALK-D10</a>	0.8317	0.8284	0.8199	0.8185	0.8120	0.8054	0.7923	0.7797	0.7790
<a href="#">ALK-N10</a>	0.8443	0.8411	0.8328	0.8313	0.8247	0.8183	0.8052	0.7929	0.7922
<a href="#">ALK-N14</a>	0.8448	0.8415	0.8332	0.8318	0.8254	0.8190	0.8062	0.7940	0.7934
<a href="#">ALK-S20</a>	0.8451	0.8419	0.8338	0.8324	0.8261	0.8197	0.8070	0.7950	0.7942
<a href="#">ALK-N26</a>	0.8174	0.8143	0.8061	0.8048	0.7985	0.7921	0.7795	0.7675	0.7668
<a href="#">ALK-N35</a>	0.8567	0.8535	0.8455	0.8441	0.8379	0.8316	0.8191	0.8074	0.8067
<a href="#">ALK-N44</a>	0.8277	0.8247	0.8168	0.8154	0.8093	0.8031	0.7908	0.7792	0.7785
<a href="#">ALK-S60</a>	0.8610	0.8579	0.8499	0.8486	0.8423	0.8362	0.8239	0.8122	0.8115
<a href="#">ALK-N75</a>	0.8327	0.8297	0.8219	0.8205	0.8144	0.8082	0.7960	0.7846	0.7839
<a href="#">ALK-N100</a>	0.8664	0.8634	0.8556	0.8541	0.8480	0.8420	0.8301	0.8184	0.8178
<a href="#">ALK-N140</a>	0.8380	0.8350	0.8273	0.8260	0.8199	0.8139	0.8019	0.7906	0.7899
<a href="#">ALK-S200</a>	0.8702	0.8672	0.8595	0.8582	0.8522	0.8463	0.8344	0.8231	0.8225
<a href="#">ALK-N250</a>	0.8429	0.8399	0.8323	0.8309	0.8250	0.8189	0.8070	0.7959	0.7952
<a href="#">ALK-D500</a>	0.8713	0.8683	0.8606	0.8593	0.8533	0.8475	0.8356	0.8245	0.8238
<a href="#">ALK-N350</a>	0.8732	0.8702	0.8627	0.8613	0.8554	0.8496	0.8379	0.8268	0.8262
<a href="#">ALK-N415</a>	0.8476	0.8446	0.8370	0.8357	0.8297	0.8239	0.8121	0.8011	0.8004
<a href="#">ALK-D1000</a>	0.8755	0.8725	0.8650	0.8637	0.8579	0.8520	0.8403	0.8294	0.8288
<a href="#">ALK-S600</a>	0.8765	0.8736	0.8661	0.8649	0.8590	0.8531	0.8416	0.8306	0.8299
<a href="#">ALK-N750</a>	0.8565	0.8536	0.8462	0.8449	0.8390	0.8333	0.8218	0.8109	0.8102
<a href="#">ALK-N1000</a>	0.8802	0.8774	0.8700	0.8688	0.8630	0.8573	0.8459	0.8351	0.8345
<a href="#">ALK-N1400</a>	0.8653	0.8624	0.8550	0.8537	0.8480	0.8424	0.8311	0.8204	0.8197
<a href="#">ALK-S2000</a>	0.8831	0.8802	0.8728	0.8718	0.8661	0.8604	0.8491	0.8385	0.8377
<a href="#">ALK-D5000</a>	0.8848	0.8819	0.8747	0.8734	0.8678	0.8622	0.8510	0.8404	0.8398
<a href="#">ALK-N2500</a>	0.8754	0.8726	0.8654	0.8642	0.8586	0.8529	0.8418	0.8313	0.8307
<a href="#">ALK-D7500</a>	0.8855	0.8826	0.8755	0.8741	0.8685	0.8629	0.8518	0.8412	0.8407
<a href="#">ALK-N4000</a>	0.8872	0.8844	0.8772	0.8759	0.8704	0.8649	0.8537	0.8432	0.8427
<a href="#">ALK-N5100</a>	0.8888	0.8860	0.8790	0.8778	0.8723	0.8667	0.8558	0.8455	0.8448
<a href="#">ALKS8000</a>	0.8903	0.8875	0.8805	0.8793	0.8737	0.8683	0.8573	0.8470	0.8464
<a href="#">ALK-N10200</a>	0.8925	0.8898	0.8828	0.8816	0.8762	0.8708	0.8600	0.8498	0.8492
<a href="#">ALK-N15000</a>	0.8935	0.8908	0.8838	0.8827	0.8772	0.8718	0.8610	0.8509	0.8503
<a href="#">ALK-N18000</a>	0.8951	0.8924	0.8855	0.8843	0.8790	0.8736	0.8629	0.8529	0.8523
<a href="#">ALK-S30000</a>	0.8960	0.8933	0.8865	0.8852	0.8798	0.8745	0.8639	0.8538	0.8532